

СИСТЕМАТИЧЕСКИЙ УКАЗАТЕЛЬ ВИДОВ

I. Подсемейство ROPHITINAE

1. Род *DUFOUREA* Lepeletier, 1841

1. <i>D. (Cephalictoides) calcarata</i> (F. Morawitz, 1887)	103
2. <i>D. (Cephalictoides) clavicra</i> (F. Morawitz, 1889)	106
3. <i>D. (Cephalictoides) mandibularis</i> (Popov, 1880)	108
4. <i>D. (Cephalictoides) paradoxa</i> (F. Morawitz, 1867)	110
4a. <i>D. (Cephalictoides) paradoxa</i> subsp. <i>atrococerulea</i> (F. Morawitz, 1875)	113
4b. <i>D. (Cephalictoides) paradoxa</i> subsp. <i>sibirica</i> Pesenko, 1998	114
5. <i>D. (Cephalictoides) spiniventris</i> (Popov, 1959)	115
6. <i>D. (Cyprizophites) akmolensis</i> Pesenko, 1998	118
7. <i>D. (Cyprizophites) coeruleocephala</i> F. Morawitz, 1872	120
8. <i>D. (Cyprizophites) versicolor</i> Alfsken, 1936	123
9. <i>D. (Dufourea) armata</i> Popov, 1959	124
10. <i>D. (Dufourea) atrata</i> (Warncke, 1979)	126
11. <i>D. (Dufourea) bucharica</i> Ebmer, 2008	129
12. <i>D. (Dufourea) halictula</i> (Nylander, 1852)	130
13. <i>D. (Dufourea) minuta</i> Lepeletier, 1841	132
14. <i>D. (Dufourea) turkmenorum</i> Pesenko, 1998	136
15. <i>D. (Halictoides) carinata</i> (Popov, 1959)	138
16. <i>D. (Halictoides) dentiventris</i> (Nylander, 1841)	140
17. <i>D. (Halictoides) flavozonata</i> (Wu, 1990)	144
18. <i>D. (Halictoides) graeca</i> Ebmer, 1976	144
18a. <i>D. (Halictoides) graeca</i> subsp. <i>dubiosa</i> (Warncke, 1979)	146
19. <i>D. (Halictoides) inermis</i> (Nylander, 1848)	147
20. <i>D. (Halictoides) mongolica</i> (Popov, 1959)	151
21. <i>D. (Halictoides) pontica</i> (Warncke, 1979)	153

2. Род *FLAVODUFOUREA* Ebmer, 1984

1. <i>F. flavigaster</i> (Fries, 1914)	157
--	-----

2. <i>F. ulkenkalkana</i> (Patiny, 2003)	160
3. Род MORAWITZELLA Popov, 1957	
1. <i>M. nana</i> (Morawitz, 1880)	161
4. Род MORAWITZIA Friese, 1902	
1. <i>M. panurgoides</i> Friese, 1902	166
5. Род RHOPHITOIDES Schenck, 1861	
1. <i>Rh. canus</i> (Eversmann, 1852)	170
6. Род ROPHITES Spinola, 1808	
1. <i>R. algirus</i> Pérez, 1895	183
1a. <i>R. algirus</i> subsp. <i>montanus</i> Ebmer, 1978	185
16. <i>R. algirus</i> subsp. <i>trispinosus</i> Pérez, 1903	186
2. <i>R. caucasicus</i> F. Morawitz, 1876	187
3. <i>R. clypealis</i> Schwammberger, 1976	190
3a. <i>R. clypealis</i> subsp. <i>stepposus</i> Astafurova, 2011	191
4. <i>R. soveolatus</i> Friese, 1900	192
5. <i>R. gruenwaldti</i> Ebmer, 1978	194
6. <i>R. hartmanni</i> Friese, 1902	197
7. <i>R. mandibularis</i> F. Morawitz, 1891	199
8. <i>R. quinquespinosus</i> Spinola, 1808	201
9. <i>R. schoenitzeri</i> Dubitzky, 2004	205
7. Род SYSTROPHA Illiger, 1806	
1. <i>S. curvicornis</i> (Scopoli, 1770)	211
2. <i>S. kazakhstanensis</i> Patiny, 2004	215
3. <i>S. planidens</i> Giraud, 1861	217
4. <i>S. popovi</i> Ponomareva, 1960	221
5. <i>S. ruficornis</i> F. Morawitz, 1880	223
6. <i>S. tadjica</i> Warncke, 1992	224
8. Род TRILIA Vachal, 1900	
1. <i>T. deserticola</i> Popov, 1957	229
2. <i>T. kerzhneri</i> Pesenko et Astafurova, 2006	231
3. <i>T. montana</i> Popov, 1957	234
4. <i>T. sola</i> Astafurova, 2010	236

II. Подсемейство NOMIINAE

1. Род *LIPOTRICHES* Gerstaecker, 1858

- | | |
|---|-----|
| 1. <i>L. (Austronomia) fruhstorferi</i> (Pérez, 1905) | 247 |
| 2. <i>L. (Lipotriches) ceratina</i> (Smith, 1857) | 250 |
| 3. <i>L. (Lipotriches) yasumatsui</i> (Hirashima, 1961) | 253 |

2. Род *NOMIA* Latreille, 1804

- | | |
|---|-----|
| 1. <i>N. (Acunomia) chalybeata</i> Smith, 1875 | 257 |
| 2. <i>N. (Acunomia) thoracica</i> Smith, 1875 | 259 |
| 3. <i>N. (Hoplonomia) incerta</i> Gribodo, 1894 | 261 |

3. Род *NOMIAPIS* Cockerell, 1919

- | | |
|---|-----|
| 1. <i>N. armata</i> (Olivier, 1812) | 268 |
| 2. <i>N. bispinosa</i> (Brullé, 1832) | 271 |
| 3. <i>N. diversipes</i> (Latreille, 1806) | 275 |
| 4. <i>N. equestris</i> (Gerstäcker, 1872) | 279 |
| 5. <i>N. femoralis</i> (Pallas, 1773) | 282 |
| 6. <i>N. fugax</i> (F. Morawitz, 1877) | 285 |
| 7. <i>N. mandschurica</i> (Hedicke, 1940) | 288 |
| 8. <i>N. squamata</i> (F. Morawitz, 1894) | 290 |
| 9. <i>N. valga</i> (Gerstäcker, 1872) | 293 |

4. Род *PSEUDAPIS* W.F. Kirby, 1900

- | | |
|---|-----|
| 1. <i>Ps. anatolica</i> (Warncke, 1976) | 300 |
| 2. <i>Ps. bytinski</i> (Warncke, 1976) | 301 |
| 3. <i>Ps. edentata</i> (F. Morawitz, 1876) | 304 |
| 4. <i>Ps. elegantissima</i> (Popov, 1949) | 307 |
| 5. <i>Ps. inermis</i> (F. Morawitz, 1894) | 310 |
| 6. <i>Ps. lobata</i> (Olivier, 1812) | 313 |
| 7. <i>Ps. nilotica</i> (Smith, 1875) | 316 |
| 7a. <i>Ps. nilotica</i> subsp. <i>latipes</i> (F. Morawitz, 1880) | 318 |
| 8. <i>Ps. platula</i> (Warncke, 1976) | 319 |
| 9. <i>Ps. rufescens</i> (F. Morawitz, 1876) | 321 |
| 10. <i>Ps. tadzhica</i> (Popov, 1956) | 324 |
| 11. <i>Ps. tobiasi</i> Astafurova, 2004 | 327 |